

Industrial Grade Hand Tools

Tools designed for ergonomic comfort, ease of use and manufactured to last

- Contoured for effortless performance with textured hard-wearing rubber for an incredibly comfortable grip
- Rigorous testing ensures a superior quality tool every time
- · Exceptional quality, competitively priced
- Once you use Total Tools, no other brand will compare

Cutting & Grinding



Wire Cup Brush, 100mm

0455	Wire Diameter mm	Thread
TAC31041	0.3	M14 x 2



Twist Wire Cup Brush, 100mm

0455	Wire Diameter mm	Thread
TAC32041	0.5	M14 x 2



Turbo Diamond Disc Wet & Dry Cut

0455	Diameter mm
TAC2131151	115

Drill Accessories



M2 HSS Individual Drill Bits

0455	Diameter mm	Total Length mm	Useable Length mm
TAC110401	4	75	43
TAC110601	6	93	57
TAC111001	10	133	87
TAC111201	12	151	101
TAC111301	13	151	101

- 6 x HSS twist drill bits, 2, 3, 3.5, 4, 5 and 6mm
- 4 x masonary drill bits, 4, 5, 6 and 8mm
- 6 x 25cm screwdriver bits, SL4.5, SL5.5, PH1, PH2, PZ1 and PZ2
- Packed in a double blister



Drill & Screwdriver Bits Box Set, 16 Pieces

0455	Size mm	
TACSD3165	2-6	

• 19 x HSS Twist Drill bits: 1, 1.5, 2, 2.5, 3, 3.5, 4, 4.5, 5, 5.5mm, 6, 6.5, 7, 7.5, 8, 8.5, 9, 9.5 and 10mm.

· Packed in a plastic box



TUTAL

19 Piece HSS DIN 338 Twist Drill Bits Set

0455	Size mm	
TACSD0195	1-10	

- 6 x metal drill bits: 2, 3, 4, 5, 6, 8mm
- · Packed in a plastic box



6 Piece HSS DIN 338 Twist Drill Bits Set

0455	Size mm	
TACSD0065	2-8	
• 5 x SDS PLUS Drill bits:		

- 6 x 110mm, 8 x 110mm, 10 x 110mm, 10 x 160mm and 12 x 160mm.
- · Packed in a plastic box



5 Piece Hammer SDS Drill Bits Set

0455	Size mm	
TAC190501	6 x 110 to 12 x 160	

- 5 x Masonry Drill bits:
 5 x 85mm, 6 x 100mm, 6.5 x
 120mm, 8 x 120mm, 10 x 120mm
- · Packed in a plastic box



5 Piece Masonry Drill Bits Set

0455	Size mm
TACSD5051	5 x 85 to 10 x 120

TLITAL

Jig Saw Blades

- · Metal Progressive HSS Wavy set.
- 5 x for Metal
- 12 TPI



Metal Jig Saw Blade Set, 5 Pieces

TAC51118B

- · Metal Fast cut HSS Wavy set.
- 2 x for Wood 8 TPI, 2 x for Metal 12 TPI, 2 x for Aluminium 8 TPI.



Assorted Jig Saw Blade Set, 5 Pieces

0455
TAC51051

Hole Saw Set

- Sizes: 20, 22, 25, 32, 35, 38, 44, 48 and 50mm
- 2 piece hole saw arbours
- · Supplied in a strong aluminium case



Bi-metal, 12 Pieces

)455	Size mm	
TACSH1121	20-50	

Hacksaws

- · Material: heavy-duty steel frame, aluminium/ABS/TPR handle
- Strong and comfortable with adjustable tension
- · Quick release blade changing mechanism



0455	Frame Size
THT54106	12"

- Length: 12" (300mm)
- · Adjustable handle frame with soft grip



0455	Frame Size	
THT54166	12"	

Saw



12" Back Saw

0455	TPI
THT59126B	11

- Size: 300 x 140 x 80
- · 1 piece back saw
- Thickness: 20mm
- Size: 300mm/12" 11 TPI

Mitre Box & Back Saw Set

THT59126

- Size: 20" / 500mm.
- Material: Taiwan SK57TPI, Heat treated teeth.
- · Triple teeth (precision ground on 3 edges).
- · Two colour soft grip handle.



20" Hand Saw

0455		
THT55206D		

Files

- · Length: 8" (200mm)
- · 1 x flat steel fi
- . 1 x half round steel fil
- · 1 x round steel fil
- · 1 x square steel fil · Material: T12 steel · Packed in a double





File Set, 5 Pieces

0433	LGIIYUI
THT918516	8"
//	

File Set, 6 Pieces

0455	Size
THT91462	6"

Riveter

- Length: 10.5"
- Rivet sizes: 2.4, 3.2, 4.0 and 4.8mm
- · Material: Aluminium alloy body



Hand Riveter

0455	
THT32105	

Wire Brush



0455	Length mm	
THT92102	250	

Cutting Tools

- · Length: 185mm
- · 6 x SK5 blades
- · Blade locking bolt
- Material: aluminium body



· Net weight: 220g

· Packed in a double blister

Snap Off Blade Knife

0455	Blade Size mm	
TG5121806	18 x 100	

- · 6 x SK5 blades
- . Material: zinc alloy shell
- · Net weight: 256g



Utility Knife

0455	Blade Size mm	
TG5126101	19 x 61	

Strong aluminium handle

Length: 9.5cm

15 Functions

- 1 x large knife
- 1 x can opener
- Packed on a plastic hanger • 1 x Phillips screwdriver
- 1 x leather punch
- · 1 x bottle opener
- 1 x scissors
- 1 x needle
- · 1 x slotted screwdriver
- 1 x fish scale
- 1 x corkscrew



Multifunction Knife

THMFK0156



0455	Blade Size mm
THT513613	19 x 61

Aviation Snips

· Material: carbon steel Supplied on a plastic hanger

Right Handed



THT523106	10"	
Material: carbon steel Supplied on a plastic hanger	and the same	

Straight

0455	Length
THT522106	10"

Pliers

• Length: 8" (200mm) · Material: Cr-V Supplied on a plastic hanger Wire Stripping Pliers

•	
0455	Length
THT25616	6"

Pipe Cutters

Material: aluminium Packed in a double blister Length: 210mm



•	
0455	Range mm
THT53351	3-35

Material: aluminium Packed in a double blister **PVC Pipe Cutter,**





Aluminium Pipe Cutter

0455	Range mm
THT53321	3-32

Cable Cutters

• Length: 6" (154mm)



TLITAL

6" Cable Cutter

0455	Length
THT11561	6"

- · Length: 10" (254mm)
- · Material: carbon steel



Heavy-duty Cable Cutter

0455	Length
THT115102	10"

- Blades Material: 65Mn
- · Used for cutting copper and aluminium cable
- · Not for cutting ACSR, wire rope, steel or self-supporting strand
- Cutting Area: 450mm²
- · Body heat treatment, cutting edges induction quenched







Cable Cutter 36"

0455	Length
THT115242	24"
THT115362	36"

- · Cr-V blade
- · Black finish and polis
- TPR two colour handle



Bolt Cutter 42"

0455	Description
THT113426	Cr-V 42"

1731

TLITAL

Bolt Cutters

- Length: 8" (200mm)
- · Material: Cr-V



8" Mini Bolt Cutter

0455	Length
THT11386	8"
- I	
 Length: 14" (355mm) 	
 Material: Cr-V 	
	rotal
A. C.	TEITAL

14" Bolt Cutter

THT113146	14"
Material: Cr-V Supplied in a poly bag	

24" Bolt Cutter

0455	Length
THT113246	24"

Wrecking Bar



48" Wrecking Bar

0455	Size mm
THT431482	1200 x 29 x 15

Sledge Hammer



Description	
10lb Sledge Hammer	

Hammers

· Drop forged head and fibreglass handl



Machinist Hammer

0455	Gram
THT715006	500

• Dropped forged head and fibreglass handl



Stoning Hammer

0455	Gram
THT7215006	1500

• Drop forged head and fibreglass handl



All Steel Claw Hammer

0455	Weight
THT7143166	16oz/450g

• Drop forged head and fibreglass handl



Ball Pein Hammer

0.455	101 1 1 .
0455	Weight
THT74246	24oz/660g

· Fibreglass handle



Rubber Mallet

0455	Weight
THT761616	16oz/450g

· Rubber head with fibreglass handl



Dual Rubber & Plastic Hammer

0455	Size mm
THT77406	40

- Weight: 2lb
- · Non-rebounding
- · Non-marring plastic faces · Non-spark



Dead Blow Mallet

0455	Description
THT79021	2lb Dead Blow Mallet

Chisels

• Material: Cr-V



Wood Chisel Set, 4 Pieces

0455	Size mm	
THT41K0401	6, 12, 19 & 25	

High Leverage Pliers

- 1 x 8" (200mm) combination pliers
- 1 x 7" (180mm) diagonal cutting pliers
- 1 x 6" (154mm) long nose pliers
- · Material: Cr-V
- · Supplied on a plastic hanger

Combination Plies Set, 3 Pieces

0455
THT2K0301S

- Length: 7" (180mm)
- · Material: Cr-V
- · Saving 30% strength agains standard pliers
- · Supplied on a plastic hanger



0455	Length
THT210706S	7"
THT210906S	9"

- Length: 8" (200mm)
- · Material: Cr-V
- · Supplied on a plastic hanger



8" Combination Pliers

0455	Length
THT210806	8"
Length: 6" (154mm) Material: Cr-V Supplied on a plastic hanger	TOTAL

Long Nose Pliers

0455	Length	ı
THT220606	6"	
 Length: 8" (200mm) 	II na	

- · Material: Cr-V
- · Supplied on a plastic hanger

THT230706



Long Nose Pliers

0455	Length
THT220806S	8"
 Length: 7" (180mm) Material: Cr-V Supplied on a plastic hanger Cutting Pliers 	
DAEE	Longth

Pliers

- Length: 6" (154mm)
- · Material: Cr-V
- · Supplied on a plastic hanger



End Cutting Pliers

0455	Length
THT260606	6"

- Length: 8" (200mm) and 10" (254mm)
- Material: Cr-V
- Supplied on a plastic hanger



Rabbit Pliers

0455	Length
THT2881	8"
THT28101	10"

- Length: 6" (154mm)
- · Material: Cr-V
- · Supplied on a plastic hanger



Carpenters Pliers

0455	Length	
THT290801	8"	

- Length: 6" (152mm)
- · Material Cr-V
- · Supplied on a plastic hanger



Bent Nose Pliers

0455	Length
THT24616	6"

- Length: 10" (254mm)
- · Material: Cr-V
- · Supplied on a plastic hanger



TLITAL

Pump Pliers

0455	Length	
THT281006	10"	

- · Material: Cr-V nickel plated



Curved Jaw Locking Pliers

0455	Length	
THT191001	10"	

- · Material: Cr-V nickel plated
- · Supplied on a plastic hanger

Straight Jaw Pliers

0455	Length
THT191002	10"

- Length: 10" (254mm)
- · With sharp edge for cutting and push down wire function
- . Will strip 6 wire sizes and 5 copper screw sizes
- · Supplied on sliding card



Wire Stripping Pliers

0455	Length
THT15101	10"

TLITAL

Wrenches

- · Supplied on a plastic hanger
- 6" adjustable clamp size diameter 0-24mm
- 8" adjustable clamp size diameter 0-30mm
- 10" adjustable clamp size diameter 0-35mm
- 12" adjustable clamp size diameter 0-41mm



Adjustable Wrenches

0455	Length
THT101066	6"
THT101086	8"
THT101106	10"
THT101126	12"



90° Swedish Pipe Wrenches

0455	Description
THT172011	1″
THT172021	2"

· Body material: ductile cast iron



Pipe Wrenches

0455	Length	Max. Clamping Diameter mm
THT170806	8"	27
THT171206	12"	42
THT171186	18"	60
THT171246	24"	76
THT171366	36"	85
THT171486	48"	110

- 1 piece double open end wrench: 9-14mm, 15-22mm
- · 1 piece single open end wrench, 23-32mm
- Chrome plated

TPR two colour handle



Bent Wrench Set (2 Pieces)

0455	Length	
THT10309328	2 Piece Bent Wrench Set	

- Size: 10"/250mm.
- · Clamping diameter: 14-40mm.
- · Carbon steel.
- · Black finish and polish
- · Packed by poly bag.



Ratcheting Pipe Wrench 10"

0455	Length mm
THT171102	14-40

- Size: 14"/350mm.
- · Clamping diameter: 18-52mm.
- · Carbon steel.
- · Black finish and polish
- · Packed by poly bag.

Ratcheting Pipe Wrench 14"

0455	Length mm
THT171142	18-52

Screwdrivers

- · Material: Nickel plated
- · 10 piece set: PH2 and SL6.0 (65mm)
- Supplied in a plastic box



Double Ended Bits Set, 10 Pieces

0455 TAC16HL133

- PH1, PH2, PH3, SL4.0, SL5.5, SL6.5 PZ1, PZ2
- . 1 x magnetic bit holder with quick release
- · Material: S2 industrial steel, magnetic



Screwdriver Set, 9 Pieces complete with Bit Holder

TACSD3091

- Material: Cr-V
- Size: 3/6mm, 6/8mm, 8/11mm, 11/14mm, and 14/18mm
- Supplied in a plastic box



Screw Extractor. **5 Pieces**

U455 TACSE0051			
DAFF			

· Material: Cr-V



Phillips Head

0455	Size	Diameter mm	Length mm
THT22386	PH2	6	38

Screwdrivers

· Material: S2 industrial steel



Go-thru Screwdriver, Slotted Head

0455	Size mm	Length mm
THTGTS8200	8.0	200

- · Material: Cr-V
- 1 x SL6.5 6" (125mm)
- 1 x Phillips PH2 6" (125mm)
- · Supplied on a plastic hanger



Screwdriver Set, 2 Pieces

THT250201

- · Material: Cr-V
- 1 x SL5.5 (75mm) 1 x SL5.5 (100mm) 1 x SL6.5 (150mm) 1 x PH1 (75mm) 1 x PH1 (100mm) and 1 x PH2 (150mm)
- Supplied on a hanger card



Screwdriver Set, 6 Pieces

0455

THT250606

- · Ergonomic comfort-grip handle
- SL2.0 x 50, SL2.5 x 50, SL3.0 x 50, PH00 x 50, PH0 x 50, T6 x 50, T8 x 50
- · Material: Cr-V



Precision Screwdriver Set, 7 Pieces

THT250726

- · Material: Cr-V
- 1 x SL3.0 (75mm), 1 x SL5.5 (100mm), 1 x SL6.5 (150mm) 1 x SL6.5 (38mm), 1 x PH0 (75mm), 1 x PH1 (75mm), 1 x PH2 (125mm) and 1 x PH2 (38mm)
- · Supplied on a hanger card



Screwdriver Set, 8 Pieces

0455 THT250608

- · Material: Cr-V
- 1 x SL3.0 (75mm), 1 x SL4.0 (100mm), 1 x SL5.5 (125mm), 1 x SL6.5 (150mm), 1 x SL8.0 (200mm), 1 x SL6.5 (38mm), 1 x PH0 (60mm), 1 x PH1 (80mm), 1 x PH2 (100mm) and 1 x PH3 (150mm)

TLITAL

· Supplied on a hanger card



Screwdriver Set, 10 Pieces

0455

THT250610

8 piece screwdrivers:

 SL5.5 (75mm), SL6.5 (100mm), SL8.0 (150mm). SL6.5 (38mm), PH1 (75mm), PH2 (100mm), PH3 (150mm) and PH2 (38mm)

10 piece precision screwdrivers:

- SL1.5 x 50, SL2 x 50, SL2.5 x 50, SL3 x 50, PH000 x 50, PH00 x 50, PH0 x 50, T6 x 50, T8 x 50 and T10 x 50
- · Supplied in a blow moulded case



Screwdriver & Precision Screwdriver Set, 18 Pieces

THT250618

Hand Tools & PPE

INDUSTRIAL GRADE HAND TOOLS

TLITAL

Screwdrivers

- 1000V VDE
- · Material: Cr-V



Insulated Screwdriver, Slotted Head

0455	Size mm	Length mm
THTIS4100	4.0	100
THTIS5125	5.5	125

- · 6 pieces insulated screwdriver set: 1 x SL3.0 (75mm), 1 x SL4.0 (100mm), 1 x SL6.5 (150mm), 1 x PH0 (60mm), PH1 (80mm), PH2 (100mm)
- Aluminium frame
- · Round shank



Insulated Screwdriver Set, 6 Pieces

THTIS566

- · Folding Handle,
- · High quality ratchet mechanism.
- 12 pieces 6.35 to 25mm Screwdriver bits.



13 in 1 Ratchet Screwdriver Set

0455	Description
TACSD30136	13 in 1 Ratchet Set

- · Material: Cr-V
- 1 x Ratchet Holder,
- 18 x 65mm Screwdriver bit: PH0, PH1, PH2, PH3 PZ1, PZ2, PZ3, SL3, SL4, SL5, SL6, SL7 T10, T15, T20, T25, T27 and T30
- Sockets: 5mm, 6mm, 7mm. 8mm, 9mm and 10mm
- Supplied in a bag and double blister



Screwdriver & Bit Set. 26 Pieces

TACSD30266

- · 1 x 7 in 1 unique design industrial ratchet handle
- 20 x 6.35 x 25mm screwdriver bits, SL3, SL4, SL5, SL6 x 2, PH0, PH1, PH2, PH3, PZ1, PZ2, T10, T15, T20, T25, T30, HEX3, HEX4, HEX5
- 1 x 4-6mm (25mm) bits adaptor
- 9 x 1/4" x 20.5mm sockets, 4, 5, 6, 7, 8, 9, 10, 11 and 12mm
- 1 x 125mm strong magnetic bits holder
- · 1 x 75mm strong magnetic bits holder
- · Supplied in a plastic box



Screwdriver & Bit Set, 33 Pieces

TACSD30336

- . 1 x T-handle ratchet wrench
- 9 x 6.35 x 25mm screwdriver bits, SL4, SL5, SL6, PH1, PH2, PH3, PZ1, PZ2, PZ3
- 1 x 5 x 100mm strong magnetic bit holder
- 1 x 4-6mm (25mm) adaptor
- 6 x 1/4" sockets, 5, 6, 7, 8, 9 and 10mm
- · Supplied in a plastic box



T-handle Wrench Screwdriver Set, 18 Pieces

TACSD30186

- · Material: Cr-V
- 20 x 6.35 x 25mm screwdriver bits: PH0, PH1, PH2, PH2, PH3.SL3, SL4, SL5, SL6, SL8. HEX3, HEX4, HEX5.PZ1, PZ2.T10, T15, T20, T25 and T30
- 1 x 4-6mm (25mm) bits adaptor.
- 1 x 1/4"-3/8" socket adaptor.
- · 1Pcs 125mm magnetic bits holder.
- 1Pcs 75mm magnetic bits holder.
- . 1 x industrial ratchet.



T Handle Wrench Screwdriver Set, 25 Pieces

TACSD30256

Hexagonal Keys

- · Material: Cr-V
- · Heat treated and chrome plated



Metric Pocket Pack, 8 Pieces

0455	Size mm
THT1061826	2-8

- · Material:Cr-V.
- Size:1.5 10mm.
- · Long arm.
- · Heat treated and chrome plated.
- · Packed by double blister.



Long Arm,	нех	ĸey	Set,
9 Pieces			

0455	Size mm
THT106191	Cr-V 1.5-10mm

· Material: Cr-V

· Heat treated and chrome plated



Ball Point Pocket Pack, 8 Pieces

0455	Size mm
THT1061836	2-8

- 4.0, 5.0, 6.0, 8.0 and 10mm

 Material: Cr-V
- Heat treated and chrome

• 9 x keys, 1.5, 2.0, 2.5, 3.0,






Ball Point Long Arm Set, 9 Pieces

0455	Size mm	
THT106291	1.5-10	

- Material: Cr-V Size: 1.5-10mm
- · Extra-long arm
- · Heat treated and chrome plated



TLITAL

9 Piece Ball Point Hex Key Set Extra Long Arm

0455	Size mm
THT106292	1.5-10

- 9 x keys, T10, T15, T20, T25, T27, T30, T40, T45 and T50
- Material: Cr-V
- · Heat treated and chrome plated



Torx Key Long Arm Set, 9 Pieces

0455	Size
THT106391	T10-T50

Socket Sets

1/2" drive (33 pieces)

- 19 x 1/2" hex sockets, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 27, 30 and 32mm
- 5 x 1./2" star sockets, W10, E12, E14, E16, E20
- 1 x 1/2" flex handle, 375m
- 2 x 1/2" extension bars, 75mm (3"), 250mm (10")
- 1 x 1/2" universal joint
- 1 x three way adaptor 1/2" to 3/8"
- 2 x spark plug sockets, 16 and 21mm
- 1 x 1/2" L-handle, 250mm (10")
- 1 x 1/2" ratchet wrench (45T)

3/8" drive (19 pieces)

- 15 x 3/8" 12 point sockets, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 17, 18, 19, 21 and 22mm
- 2 x 3/8" extension bars 75mm (3"0, 150mm (6")
- 1 x 3/8" universal joint
- 1 x 3/8" ratchet wrench (45T)

1/4" drive (49 pieces)

- 26 x 1/4" screwdriver bits (25mm) PH0, PH1, PH2, PH2, PH3, PZ0, PZ1, PZ2, PZ3, SL4, SL5.5, SL7, H2, H3, H4, H5, H6, H7, H8, H10, T10H, T15H, T20H, T25H, T27H, T30H and T40H
- 1 x hit holder
- 9 x 1/4" hex sockets 4, 4.5, 5, 5.5, 6, 7, 8, 9 and 10mm

- 5 x 1/4" star sockets E4, E5, E6, E7 and E8
- 3 x 1/4" extension bars 50mm (2"), 100mm (4"), 150mm (6")
- 1 x 1/4" universal joint
- 1 x three way adaptor 3/8" to 1/4"
- 1 x 1/4" spinner handle, 150mm
- 1 x 1/4" flexible extension ba , 150mm
- 1 x 1/4" ratchet wrench (45T)

Other tools (41 pieces)

- 17 x combination spanners, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22 and 24mm
- 5 x flare nut spanners, 8 x 10, 10 x 12, 11 x 13 12 x 14 and 17 x 19mm
- 10 x hex keys, 2.5, 3, 4, 5, 6, 7, 8, 10, 12 and 14mm
- 1 x machinist hammer, 300g
- 1 x combination pliers, 7"
- 1 x curved jaw lock pliers, 10"
- 2 x slotted screwdrivers (S2), SL6.5 x 100mm, SL6.5 x 150mm
- 2 x Phillips screwdrivers (S2), PH2 x 100mm, PH2 x 150mm
- 2 x stubby screwdrivers, PH2 x 38mm, SL6.5 x 38mm
- · Supplied in a blow moulded carry case



Combination Socket Set, 142 Pieces

I	1455	
	THKTHP21426	j

Hand Tools & PPE

INDUSTRIAL GRADE HAND TOOLS

TLITAL

Socket Sets



162 Piece Tool Chest Set

0455	Description
THPTCS71621	162 Piece Mobile Tool Chest



120 Piece Tools & Accessories

THKTAC01120

- 13 x 1/4" sockets, 4, 4.5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm
- 1 x 1/4" universal joint
- 2 x 1/4" extension bars, 50mm (2"0, 100mm (4")
- 1 x 1/4" spinner handle, 150mm
- 1 x 1/4" ratchet wrench (45T)
- 20 x screwdriver bits, PH1, PH2, PH3, PZ1, PZ2, PZ3, SL4, SL5, SL6, H1.5, H2, H3, H4, H5, H6, T10, T15, T25, T30
- 1 x screwdriver bits holder
- 1 x 1/4" flexible extension ba , 150mm
- 1 x 1/4" sliding T-bar, 114mm
- 4 x hex key wrench, 1.5, 2.0, 2.5, 3.0mm
- Material: Cr-V (50BV30), heat treated

Supplied in a blow



	•
0455	Size mm
THT141451	4-14

1/4" drive sockets

- 13 x 1/4" sockets, 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 and 14mm
- 1 x 1/4" universal joint
- 2 x 1/4" extension bars, 50mm (2"), 100mm (4")
- 1 x 1/4" sliding T bar, 114mm
- 1 x 1/4" flexible extension ba , 150mm
- 1 x 1/4" ratchet wrench (45T)

1/2" drive sockets

- 18 x 1/2" sockets, 8, 10, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32mm
- 1 x 1/2" universal joint
- 2 x 1/2" extension bars 125mm (5"), 250mm (10")
- 1 x 1/2" sliding T bar, 250mm (10")
- 2 x spark plug sockets, 16 and 21mm
- 1 x 1/2" ratchet wrench (45T)
- Supplied in a blow moulded carry case



1/4" & 1/2" Drive Socket Set, 44 Pieces

0455	Size mm	Size mm
THT421441	10-24 (1/4")	8-32 (1/2")

- 10 x 1/2" sockets, 10, 11, 12, 13, 14, 15, 17, 19 and 24mm
- 1 x 1/2" quick release soft grip ratchet wrench (72T)
- 1 x 1/2" extension bar, 125mm (5")
- · Supplied on a plastic hanger



0455	Size mm
THT141121	10-24

- 18 x 1/2" sockets, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 27, 30 and 32mm
- 1 x 1/2" universal joint
- 2 x 1/2" extension bars, 125mm (5"), 250mm (10")
- 2 x spark plug sockets, 16 and 21mm
- 1 x 1/2" ratchet wrench (45T)
- Material: Cr-V (50BV30). heat treated
- Supplied in a blow moulded carry case



1/2	Drive
Soci	ket Set,
25 P	ieces

455	Size mm
HT121251	10-32

Socket Drives

- (45T)
- Material: Cr-V + Cr-Mo
- · Supplied on a plastic hanger

Rachet Wrench



	_	
0455	Size	Length mm
THT106146	1/4"	158
THT106386	3/8"	205
THT106126	1/2"	260

Socket Sets

1/2" Drive



0455	Size mm
THTST12131	13
THTST12211	21
THTST12321	32

Spanner Sets

- 6, 8, 10, 12, 14, 15, 17 and 19mm



- 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22. 21 x 23. 24 x 27, 25 x 28 and 30 x 32mm
- Fine polished With roll pouch



Combination Spanner Set, 8 Pieces

0455	Size mm	۱
THT102286	6-19	

- 6, 8, 10, 11, 12, 13, 14, 15, 17, 19, 22 and 24mm
- · Fine polished
- · With roll pouch

Combination Spanner Set, 12 Pieces

0455	Size mm
THT1022121	6-24

- 6, 8, 10, 12, 12, 14, 17, 19, 22, 24, 27, 30 and 32
- · Fine polished
- With roll pouch



Combination Spanner Set, 12 Pieces

0455	Size mm
THT1022122	6-32
• 6 x 7, 8 x 9, 10 x 11, 12 14 x 15, 16 x 17, 18 x 1 20 x 22, 21 x 23, 24 x 2 25 x 28 and 30 x 32mm • Fine polished	9,

· With roll pouch

8 Piece Double Open End Spanner Set 6-22mm

0455	Size 1	Size 2
THT102386	6 x 7, 8 x 9, 10 x 11, 12 x 13 mm	14 x 15, 16 x 17, 18 x 19, 20 x 22 mm
	12 X 13 IIIIII	10 X 19, 20 X 22 IIIIII

Double Open End Spanner Set, 12 Pieces

П	UTJJ	0120 111111	
	THT1023121	6-32	
	• 6 x 7, 8 x 9, 10 x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19 and 20 x 22mm		

· Fine polished

Supplied on a plastic hanger



Offset Ring Spanner Set, 8 Pieces

Size mm
6-22

- 6 x 7, 8 x 9, 10, x 11, 12 x 13, 14 x 15, 16 x 17, 18 x 19, 20 x 22, 21 x 23, 24 x 27, 25 x 28 and 30 x 32mm
- · Fine polished
- · With roll pouch



Offset Ring Snanner Set. 12 Pieces

opainioi oot, 12	1 10000
0455	Size mm
THT1024121	6-32

- 19, 22, 24, 27, 30 and 32mm
- · Fine polished Cr-V
- · With canvas bag



Ratchet Spanner Set, 6 Pieces

0455	Size mm
THT102RK061	19-32

Measuring Equipment

- · 3 stop button function
- · Metric and inch display
- · Rubber cover



TLITAL

Steel Tape Measure

0455	Length Metres	Width mm
TMT126031	3	16
TMT126052	5	25
TMT126101	10	25

- · Reading: 0.01mm metric/inch system conversion in any position
- · Supplied in a plastic box



Digital Caliper

0455	Range mm
TMT321501	0-150
TMT322001	0-200

TLITAL

Clamps



0455	Maximum Force Kgs	
THT6146	1300	
THT6186	2500	

- · Body material: malleable cast iron
- · Thread: T-shaped



0455	Size
THT13141	4"
THT13161	6"



- · Clamp size: 50 x 200mm
- · Max clamp force: 170kgs
- . Thickness and width of iron ruler: 5 x 15mm
- Diameter of screw thread: 11mm

F Clamp, 200mm

0455	Size mm	Force Kgs
THT1320502	200	170

- Clamp Size: 80 x 300mm
- . Max Clamp Force: 270kgs
- Thickness and Width of Iron Ruler: 6 x 22mm
- · Diameter of Screw Thread: 13mm

F Clamp, 300mm

0455	Size mm	Force Kgs
THT1320801	300	270

- Clamp size: 140 x 1000mm
- Max clamp force: 450KGS
- Thickness and width of iron ruler: 8 x 30mm
- Diameter of screw thread:15.3mm

F Clamp, 1000mm

0455	Size mm	Force Kgs
THT1321401	1000	450

Spirit Levels

- · Double side milled
- · 0.5mm/m accurate vials
- · Aluminium thickness: 1.5mm
- · Fitted with 3 powerful magnets
- · Double flat surface desig 100 .

Magnetic

0455	Length cm	
TMT21005M	100	

Tool Box

• 495 x 200 x 290mm



Metal Cantilever Tool Box

0455	
THT10701	

Flashlight

- · Material: Aviation grade aluminium alloy: 6N01-T6
- U.S.A. manufactured CREE XPE2 R3 LED 3W
- Lumen: 135
- Beam distance: 200m
- · Lifespan: 100000 hours
- Batteries: 3 x AAA
- · Runtime: 5 hours
- · Tail light switch
- · Waterproof grade: IPX-4 Weight: 105g





Aviation Grade

0455	Diameter mm	Length mm
TFL013AAA1	32	126.5



Headlamp

THL013AAA2

For Malleable Iron Fittings see pages 1338-1376



Grease Gun

- · Capacity: 400cc/14oz
- . Loading: 14oz cartridge/400cc bulk
- Working pressure: 4500 10,000psi
- . Burst pressure: 14000psi
- Material: 1.2mm steel tube and aluminium casting
- · Standard accessories: nylon hose,



Tool Pouches & Bags

· Reinforced plastic base · Adjustable shoulder strap 24" Rigid Frame

Tool Bag

THT16241

Adjustable belt: 92 -127cm





THT16P1011

Gloves

- · For use in an oil environment
- · Nitrile coated palm, smooth and rough texture finis
- · Packed in a poly bag



TUTAL

Nitrile Gloves XL

0455	Size
TSP12101	10

TORCHES WORK LAMPS & LIGHTING

new

product

Redashe Rechargeable Slim Work Light


Features:

THT111051

- · Dimmable operational switch to create a floodlight or focused bea
- Swivelling base with strong built-in scratch proof magnet
- . Smooth wand pivot of up to 150°
- . Lamp body rotates up to 270°
- . Charging time: Approx. 3 hours
- . Minimum operation time: 2 hours
- · Ergonomic and comfort grip handle
- Micro USB weatherproof charging point complete with charging indicator



Pedasi



Redashe Rechargeable Headlamp

- · Adjustable zoom headlamp for spotlight or floodlight application
- Infrared manual sensor system for a more convenient operation
- Lithium-ion rechargeable battery for longer life and consistent power
- Built-in battery level indicator on the front of the headlamp
- The lamp head can be adjusted 80° up and down
- Non-slip elastic head strap





new

product

0478	Lumens
JK120	400

Intrinsically Safe Polymer Penlight



0712	Lumens	Beam
JXPP-5422B	120	170 Metres

Hand Tools & PPE

Hand Tools & PPE

PROFESSIONAL TOOLS

RIDGID® pipe wrenches are world-renowned for their unsurpassed toughness and serviceability. The original heavy-duty pipe wrench, pictured here, has earned the confidence of pipe professionals for over 80 years because it does the job right the first time, every time.

RIDGID® pipe wrenches are also available in a wide variety of purpose-built configurations, and are available with cast aluminium handles that offer an average 40% weight reduction.



Pipe Wrenches

- · Sturdy, cast-iron housing
- I-heam handle
- · Full floating forged hook ja
- · Self cleaning threads with replaceable hook and heel jaws



Heavy-duty Pipe Wrenches

0494	Ø mm	Length mm	Model	Kg
31020	50	350	14	1.6
31025	65	450	18	2.6
31030	80	600	24	4.4
		Tech Sheet 60448		

- . Jaws and all other parts identical to RIDGID® heavy-duty wrenches
- All the great benefits of the heavy-duty RapidGrip wrenc
- · Professional strength in lightweight aluminium
- Nearly 40% lighter than comparable cast iron wrenches
- 35% lighter than heavy-duty models
- · Ideal for overhead applications
- . Offers the same durability and ease-of-use found in all RIDGID® heavy-duty wrenches



Aluminium Pipe Wrenches

0494	Ø mm	Length mm	Model	Kg
31095	50	350	814	1.1
31100	65	450	818	1.7
31105	80	600	824	2.7
		Tech Sheet 60448		

- Features a jaw opening parallel to the handle and a narrower hook jaw head
- Provides easy entry into tight spots



Heavy-duty Offset Pipe Wrenches

0494	Ø mm	Length mm	Model	Kg
89445	80	600	24	4.4
		Tech Sheet 60448		

- · Features a jaw opening parallel to the handle and a narrower hook jaw head
- · Provides easy entry into tight spots



Aluminium Offset Pipe Wrenches

0494	Ø mm	Length mm	Model	Kg
31120	50	350	14	0.9
31125	65	450	18	1.6
31130	80	600	24	2.7
		Tech Sheet 60448		



Cutting Tool

PC 116 Powered Tubing Cutter

This $4.5^{\prime\prime}$ machine saves time and effort thanks to its fast set-up and operating features:

- Quick size adjustment
- Quick-feeding mechanism
- Spark-free
- · Cold cutting

High-strength alloy wheels with tool-free replacement. It delivers consistent and accurate cutting in a wide variety of materials, such as:

- · Stainless steel
- Steel
- · Coated steel
- Aluminium
- Copper



PC116 Powered Tubing Cutter

0494	Capacity mm	Description
68118	12-116	With Plastic & Metallic Cutter Wheels, 110V
70003	12-116	With Plastic & Metallic Cutter Wheels, 230V

Cutting Tool Accessories



PC116 Tube Cutting Stand

0494	
64903	



0494	Description
66938	Cutter Wheel without Bearing for Carbon Steel, Stainless Steel & Aluminium.
66943	Cutter Wheel without Bearing for Plastic & Copper.



For **Stainless Steel Press Fit Piping System** see pages **1118-1126**



PROFESSIONAL TOOLS





Press Tools

RP 219 is our Next-Gen 19 kN compact press tool.

Providing the user FULL ACCESS in the most confined spaces with its Lightweight (<2 kg) and Ultra-Slim Inline Design as well as the full flexible 350° Head Rotatio .

RP 219 also provides the user FULL ACCESS to super-fast pressing, critical tool information, multiple power sources and a wide range of 19 kN compact press jaws.

The RP 219 also features 'Press-check!', an integrated pressure sensor that monitors and confirms every press cycle and offers the lowest cost-of-ownership.

RP 219 Kits include: Carrying case, 1×2.5 Ah Li-Ion battery and 1×230 V fast-charger, 1×230 V car charging cord

The RP 351 Inline Design Press Tool is designed for speed and continued operation in the most confined spaces. Optimally balanced for one-handed use and reduced job site fatigue. Driven by the new RIDGID Brushless Motor Technology, RP 351 reaches over 100,000 press cycles and requires no scheduled maintenance.

RP 351-B Tool Kits include: 1 x 2.5AH battery, 1 x fast-charger and carrying case



RP 219 Press Tool

0494	Description	Weight (kG)
69073	RP 219 without Press Jaws	5.2
69078	RP 219 with M15-18-22 Press Jaws	9.2
69083	RP 219 with M15-22-28 Press Jaws	9.2

The RIDGID RP 350 features a brushless motor capable of over 100,000 press cycles and requires no scheduled maintenance. Get access to hard-to-reach locations with endless 360° swivel. The RP 350 has been upgraded from top to bottom with the most advanced LED interface and lighting.

RP 350-B Tool Kits include:

1 x 2.5Ah battery, 1 x fast-charger and Carrying Case



RP 350 Press Tool

0494	Description	
67088	RP 350-B Tool Kit (No Jaws)	
69818	RP 350-B Kit + M15-18-22	
69823	RP 350-B Kit + M15-22-28	



Jaws for M Standard Pressfit System

0494	Press Jaw Type
69868	M12
69873	M15
69878	M18
69883	M22
69888	M28
69893	M35

RP 351 Press Tool

0494	Description
67228	RP 351-B + Case + Battery + Charger
69838	RP 351-B Tool Kit + M15-18-22
69843	RP 351-B Tool Kit + M15-22-28

The NEW RIDGID® StrutSlayr is the latest accessory, making the world's most popular press tool even more valuable. StrutSlayr attaches to RIDGID® 32kN press tools to deliver a fab shop quality, burr-free cut in 5 seconds or less. No grinding or sawing sparks - just a clean, consistent SHEAR cut with a pull of a trigger.

Fab Shop Quality: Burr-free cuts eliminate the need for extra filin

Increased Efficiency: Clean, consistent cuts in 5 seconds or less

Shear Cut: no grinding or sawing sparks

 $\textbf{Portable:} \ \mathsf{Easy} \ \mathsf{to} \ \mathsf{move} \ \mathsf{around} \ \mathsf{the} \ \mathsf{job} \ \mathsf{site} \ \mathsf{and} \ \mathsf{mounts} \ \mathsf{to} \ \mathsf{RIDGID} \ \mathsf{TRISTANDs}$

 $\textbf{Built-in Measuring Guide:} \ allows \ the \ accuracy \ of \ cut-on \ application.$



Strut Shear Head

0494	Capacity mm	Weight (Kg)	Tool Compatibility
64053	41 x 21	8.96	RP350, RP340, RP330
64058	41 x 41	8.96	RP350, RP340, RP330

PROFESSIONAL TOOLS

Pipe/Tube Cutting & Preparation

- · Specifically designed for use in restricted spaces on small diamete , hard and soft copper, aluminium, brass and plastic tubing
- · Rollers include grooves for close-to-flare cut
- · Strong, lightweight slide and wheel housing
- · Large knurled feed screw knob gives easy control of cutting pressure for
- · Models 117 and 118 include a selffeeding cutter wheel that automatically cuts after tightening the knob once (AUTOFEED®)
- · Model 118 features a special knob for easier tightening of the feed screw
- · Model 101-ML is for multi-layer tubing only



Midget Cutters for Close Quarters Tubing

0494	Capacity mm	Description	Model	Kg
40617	6 -28	Midget Cutter	101	0.23
32975	3-16	Midget Cutter	103	0.15
32985	5-24	Midget Cutter	104	0.15
32933	-	Ratchet Handle only for 118 & 101 Midget Cutters	118	0.26
21938	6-28	Midget Cutter for Multilayer Tubing	101-ML	0.15
		Tech Sheet 60451		

- . For plastic (PVC, CPVC, PP, PEX, PE) and multilayer tubing
- · Spring-loaded handles for faster positioning
- · Single stroke, easy cut
- · Durable aluminium construction for heavy-duty use



Plastic & Multi-layer Pipe Cutters

0494	Capacity mm	Description	Model	Kg
23493	6 - 25	Single Stroke Tubing Cutter	PC-1375 ML	0.34
		Tech Sheet 60451		

- Ergonomic grips on bottom handle are spaced at 1/2" increments to act as a quick pipe-measuring scale
- X-CEL® quick-change blade

· Burr-less cutting operation provides a square cut

· For plastic (PVC, CPVC, PP, PEX, PE), rubber hose and multi-layer tubing

Ratchet Cutters with Ergonomic Grips

0494	Capacity mm	Description	Model	Kg
23498	3-42	Ratchet Action Plastic Pipe & Tubing Cutter	RC-1625	0.52
		Tech Sheet 60451		

C-Style cutters cut 15mm/22mm or 28mm copper tubing while offering unique features that take copper tube cutting to a whole new level.





C Style Cutter

0494	Capacity mm	Model	Kg
57018	15- 22	C15/22	0.23
60668	28	C28	0.21



For **PVC Braided Hose** see pages 1402-1405



PROFESSIONAL TOOLS



Pipe/Tube Cutting & Preparation

X-CEL® Means Speed

Many of our most popular tubing cutters now include several X-CEL® features to make your job quicker and easier:

- X-CEL® Knob cut tubing more quickly and easily with our larger, more ergonomic designs
- X-CEL® Wheel Pin change your cutter wheel quickly using our new ball detent design, no tool needed, no lost clips.
- · Spare cutter wheels included for maximum uptime



Enclosed Feed Tubing Cutters, X-CEL Features, for Copper Tube

0494	Capacity mm	Description	Model	Kg
66737	6 - 35	Enclosed Feed Cutter	150L	0.44
33055	6 - 60	Ratcheting Enclosed Feed Cutter	205L	0.91
		Tech Sheet 60451		

Enclosed Feed Tubing Cutters with New X-CEL® Features:

- Telescoping feed screw design keeps the cutter at the same length regardless of tubing diameter - good for tight spaces
- · Enclosed feed screw to eliminate clogging and jamming
- · Grooved rollers for close-to-flare cut
- · Fold-away reamer
- Now includes X-CEL® Knob and X-CEL® Pin for quicker cutting and wheel replacement
- . Made from high-strength zinc alloy
- . Spare cutter wheel included in the knob
- · Cuts hard/soft copper, aluminium, brass and multilayer tubes



Enclosed Feed Tubing Cutters, X-CEL Features, for Stainless Steel Tube

0494	Capacity mm	Description	Model	Kg
29963	6 - 35	Enclosed Feed Cutter	150L	0.47
31803	6 - 60	Ratcheting Enclosed Feed Cutter	205L	0.91
		Tech Sheet 60451		

Pipe Bending Equipment

- · Combines accuracy with easy operation
- Designed for bending copper, steel and stainless steel (≤1.5mm) to a maximum of 180°
- . Offset cushion grip handles for comfort when forming 180° bends
- A 90° start angle and unique oil-absorbing shoe minimise bending effort while forming accurate bends in copper and steel tubing

400 Series Instrument Benders

0494	OD mm	Bend Radius mm	Model	Kg
36112	6	16	406M	0.68
36092	8	24	408M	1.18
36127	12	38	412M	2.45
		Tech Sheet 60458		

- · The stainless steel specialist
- High quality bending performance on stainless steel and other hard tubing such as steel and titanium
- Two-stage design allows for in-place bending from 90° to 180° without ever crossing handles
- Lock/unlock with a half-turn rotation of the bending handle
- Extra long 16" (40cm) handles increase leverage, and roll dies in the bending form reduce force needed



600 Series Heavy-duty Instrument Benders

0494	OD mm	Bend Radius mm	Model	Kg
38053	6	16	606M	0.76
38058	10	24	610M	1.84
38063	12	38	612M	2.76
Tech Sheet 60458				

INTERCHANGEABLE STORAGE & DISPLAY SYSTEMS





Component Organisers

Big drawer quantity: 4 Big drawer dimensions:

Length 153mm x width 127mm x height 58mm

Small drawer quantity: 8

Small drawer dimensions:

Length 153mm x width 62mm x height 37mm

Wall mounting key holes: 4 Partition with gripper: Yes

Tight-fitted partition: Yes Cabinet material: Polypropylene Drawer material: Clear polypropylene



12 Drawer Storage Cabinet

0426	Height mm	Width mm	Depth mm	
V-ACO 12	245	293	164	
Took Choot 20172				

Drawer quantity: 18 Drawer dimension:

Length 153mm x width 127mm x height 58mm

Wall mounting key holes: 4 Partition with gripper: Yes Tight-fitted partition: Yes

Cabinet material: Polypropylene Drawer material: Clear polypropylene



18 Drawer Storage Cabinet

0426	Height mm	Width mm	Depth mm		
V-ACO 18	457	424	164		
Tech Sheet 20173					

Big drawer quantity: 8

Big drawer dimension:

Length 153mm x width 127mm x height 58mm

Small drawer quantity: 14 Small drawer dimension:

Length 153mm x width 62mm x height 37mm

Wall mounting key holes: 4 Partition with gripper: Yes **Tight-fitted partition:** Yes

Cabinet material: Polypropylene Drawer material: Clear polypropylene





22 Drawer Storage Cabinet

0426	Height mm	Width mm	Depth mm		
V-ACO 22	245	555	164		
Tech Sheet 20173					

Small drawer quantity: 30 **Small drawer dimensions:**

Length 153mm x width 62 x height 37mm

Big drawer quantity: 9 Big drawer dimensions:

Length 153mm x width 127 x height 58mm

Wall mounting key holes: 4 Partition with gripper: Yes **Tight-fitted partition:** Yes Cabinet material: Polypropylene Drawer material: Clear polypropylene





39 Drawer Storage Cabinet

0426	Height mm	Width mm	Depth mm		
V-ACO 39	457	424	164		
Tech Sheet 20173					

Drawer quantity: 60

Drawer dimension:

Length 153mm x width 62mm x height 37mm

Wall mounting key holes: 4 Partition with gripper: Yes **Tight-fitted partition:** Yes Cabinet material: Polypropylene Drawer material: Clear polypropylene





60 Drawer Storage Cabinet

0426	Height mm	Width mm	Depth mm
V-ACO 60	457	424	164
	Tech She	et 20173	

Drawer quantity: 9

Drawer dimension:

Length 153mm x width 127mm x height 58mm

Bin quantity: 9

Bin drawer dimension:

Length 153mm x width 127mm x height 65mm

Wall mounting key holes: 4 Partition with gripper: Yes

Tight-fitted partition: Yes Cabinet material: Polypropylene

Drawer material: Clear polypropylene



9 Drawer, 9 Bins Storage Cabinet

0426	Height mm	Width mm	Depth mm			
V-ACO 9B9D	457	424	164			
Tech Sheet 20173						

Drawer qty: 30

Drawer dimension:

Length 153mm x width 62mm x height 37mm

Bin drawer quantity: 30

Bin drawer dimensions:

Length 153mm x width 127mm x height 65mm

Wall mounting key holes: 4 Partition with gripper: Yes

Tight-fitted partition: Yes

Cabinet material: Polypropylene Drawer material: Clear polypropylene







30 Drawer, 9 Bins Storage Cabinet

0426	Height mm	Width mm	Depth mm		
V-ACO 9B30D	460	426	166		
Tech Sheet 20173					

Pocket qty: 12

Side pocket Inner dimensions:

Length x 125mm x width 100mm x height 70mm

Centre pocket inner dimensions:

Length x 125mm x width 123mm x height 68mm

Wall mounting key holes: 4 Body and frame: Polypropylene Lid: Polycarbonate











12 Pockets with Transparent Lid Storage Cabinet


0426	Height mm	Width mm	Depth mm
V-ACO 12 PTL	460	426	166
	Tech She	et 20173	

INTERCHANGEABLE STORAGE & DISPLAY SYSTEMS



Supra Storage Bins

- · Impact resistant.
- · Strong rear lip for use with louvred panels. Integral label holder.
- · Clear access to contents.
- · Manufactured from high density polypropylene.
- · High and low temperature tolerant.
- · Resistant to most individual solvents.
- Easy to stack on top of each other.
- · Incorporates a safety stop feature at the back



Red, Blue, Yellow or Grey

0128	Colour	Height mm	Length mm	Width mm	Pack Oty
SB-1-RED-P60	Red	60	125	100	60
SB-1-BLUE-P60	Blue	60	125	100	60
SB-2-RED-P60	Red	85	170	100	60
SB-2-BLUE-P60	Blue	85	170	100	60
SB-2-YELLOW-P60	Yellow	85	170	100	60
SB-3-RED-P50	Red	125	220	130	50
SB-3-BLUE-P50	Blue	125	220	130	50
SB-3-YELLOW-P50	Yellow	125	220	130	50
SB-4-RED-P10	Red	143	290	178	10
SB-4-BLUE-P10	Blue	143	290	178	10
SB-5-BLUE-P5	Blue	145	290	363	5
SB-6-BLUE-P10	Blue	145	440	180	10
SB-7-BLUE-P6	Blue	215	435	400	6
SB-8-BLUE-P6	Blue	300	600	425	6
Tech Sheet 20172					

Accessories - Partitions

0128	Description	
HP/SB4/6	Horizontal Partition for SB-4 & SB-6	
VP/SB4/5	Vertical Partition for SB-4 & SB-5	
VP/SB7	Vertical Partition for SB-7	
VP/SB8	Vertical Partition for SB-8	
	Tech Sheet 20172	

Shop Floor Stands

- · Free standing stands come complete with louvred panels on one side
- · Easy to assemble
- · Storage bins ordered separately



Free Standing Louvred Panel Stands

0128	Length mm	Width mm	Height mm	Туре
FSS/L/1	457	630	1560	Single Span
FSS/L/2	914	630	1560	Double Span
FSS/L/3	1371	630	1560	Triple Span
		Tech Sheet 201	70	

Ideal for component storage and transfer to assembly or production areas. Unit comprises of base unit with aluminium chequered top plate fitted with castors and a frame on which four louvre panels can be fitted (supplied).

Example: trolley can hold 16 x SB-1, 32 x SB-2, 12 x SB-3, 10 x SB-4 on the panels with the base free for different sizes of bins as per your requirement.

Storage bins not supplied.

- · Robust construction
- · Epoxy powder coated
- · Easy assembly



Mobile Louvred Panel Stand

0128	Length mm	Width mm	Height mm
SFT	970	600	1100
	1	Fech Sheet 20171	

INTERCHANGEABLE STORAGE & DISPLAY SYSTEMS





Tool Trays

Can be screwed to walls, workstations or



Red, Blue or Grey

	-	
0128		
TTH-RED		
TTH-BLUE		
TTH-GREY		
	Tech Sheet 20173	

Multi-purpose Display Board

- · 451 hanging holes
- · 38 strong hooks (two sizes) and 38 locks

Note: tools not included.



Red or Blue

0128	Width mm	Height mm
MDB500-RED	505	390
MDB500-BLUE	505	390
	Tech Sheet 20174	

Poly Bins & Rails

Each bin is 5" x 4" x 3".





Set of 20 Bins & 5 Rails

0128		
PBR205		
	Tech Sheet 20175	

Louvred Wall Panels

The louvred panels are made from powder-coated 1.5mm CRCA steel and come in four sizes.

These louvre panels can be easily fitted on walls or on a stand.

Note: tool tray, tools and Supra bin



For Use with Supra Bins

	•	
0128	Width mm	Height mm
SB/LP1	457	457
SB/LP2	457	610
SB/LP3	457	915
SB/LP6	457	1830
	Tech Sheet 201	176