



techhose

QUALITY CONNECTIONS

Hydraulics

Pneumatics
& Vacuum

Industrial

Compressed Air
& Ring Main

Process &
Instrumentation

Hose Tails, Adaptors, Fittings & Manifolds

Hose Tails

NICKEL PLATED BRASS & BRASS HOSE TAILS



This technical data is applicable to the full range of hose tail fittings and airline fittings including tees, elbows, reducers and silencers etc.



Threads:

Tapered in conformity with ISO 7.1, BS 21, DIN 2999. Parallel in conformity with ISO 228 class A. Metric in conformity with ISO R/262.

Media:

Compressed air, water, oils and fluids for hydraulics and pneumatic fields.

N.B. Safe pressures and temperatures depend entirely on the tubes being used, for this reason the values must be determined in accordance with the tube features.



Straight Hose Tails, Brass



Male Thread, BSPT

1010	Thread	To Suit Hose ID	To Suit Hose ID mm
GT10/04K	1/8"	1/8"	4
GT10/05K	1/8"	3/16"	5
GT10/06K	1/8"	1/4"	6
GT10/08K	1/8"	5/16"	8
GT10/09K	1/8"	3/8"	9
GT10/13K	1/8"	1/2"	13
GT13/04K	1/4"	1/8"	4
GT13/05K	1/4"	3/16"	5
GT13/06K	1/4"	1/4"	6
GT13/08K	1/4"	5/16"	8
GT13/09K	1/4"	3/8"	9
GT13/13K	1/4"	1/2"	13
GT13/16K	1/4"	5/8"	16
GT13/19K	1/4"	3/4"	19
GT17/05K	3/8"	3/16"	5
GT17/06K	3/8"	1/4"	6
GT17/08K	3/8"	5/16"	8
GT17/09K	3/8"	3/8"	9
GT17/13K	3/8"	1/2"	13
GT17/16K	3/8"	5/8"	16
GT17/19K	3/8"	3/4"	19
GT21/05K	1/2"	3/16"	5
GT21/06K	1/2"	1/4"	6
GT21/08K	1/2"	5/16"	8
GT21/09K	1/2"	3/8"	9
GT21/13K	1/2"	1/2"	13
GT21/16K	1/2"	5/8"	16
GT21/19K	1/2"	3/4"	19
GT21/25K	1/2"	1"	25
GT23/16K	5/8"	5/8"	16
GT26/06K	3/4"	1/4"	6
GT26/08K	3/4"	5/16"	8
GT26/09K	3/4"	3/8"	9
GT26/13K	3/4"	1/2"	13
GT26/16K	3/4"	5/8"	16
GT26/19K	3/4"	3/4"	19
GT26/25K	3/4"	1"	25
GT26/31K	3/4"	1.1/4"	31
GT33/13K	1"	1/2"	13
GT33/16K	1"	5/8"	16
GT33/19K	1"	3/4"	19
GT33/25K	1"	1"	25
GT33/31K	1"	1.1/4"	31
GT33/38K	1"	1.1/2"	38
GT42/19K	1.1/4"	3/4"	19
GT42/25K	1.1/4"	1"	25
GT42/31K	1.1/4"	1.1/4"	31
GT48/31K	1.1/2"	1.1/4"	31
GT48/38K	1.1/2"	1.1/2"	38
GT48/50K	1.1/2"	2"	50
GT52/38K	2"	1.1/2"	38
GT52/50K	2"	2"	50
GT56/53K	2.1/2"	2.1/2"	53
GT60/58K	3"	3"	58

Tech Sheet 20089

Straight Hose Tails, Nickel Plated Brass



Male Thread, BSPT

1010	Thread	To Suit Hose ID	To Suit Hose ID mm
GT10/04KNP	1/8"	1/8"	4
GT10/05KNP	1/8"	3/16"	5
GT10/06KNP	1/8"	1/4"	6
GT10/08KNP	1/8"	5/16"	8
GT10/09KNP	1/8"	3/8"	9
GT13/04KNP	1/4"	1/8"	4
GT13/05KNP	1/4"	3/16"	5
GT13/06KNP	1/4"	1/4"	6
GT13/08KNP	1/4"	5/16"	8
GT13/09KNP	1/4"	3/8"	9
GT13/13KNP	1/4"	1/2"	13
GT13/16KNP	1/4"	5/8"	16
GT17/05KNP	3/8"	3/16"	5
GT17/06KNP	3/8"	1/4"	6
GT17/08KNP	3/8"	5/16"	8
GT17/09KNP	3/8"	3/8"	9
GT17/13KNP	3/8"	1/2"	13
GT17/16KNP	3/8"	5/8"	16
GT17/19KNP	3/8"	3/4"	19
GT21/06KNP	1/2"	1/4"	6
GT21/08KNP	1/2"	5/16"	8
GT21/09KNP	1/2"	3/8"	9
GT21/13KNP	1/2"	1/2"	13
GT21/16KNP	1/2"	5/8"	16
GT21/19KNP	1/2"	3/4"	19
GT21/25KNP	1/2"	1"	25
GT26/09KNP	3/4"	3/8"	9
GT26/13KNP	3/4"	1/2"	13
GT26/16KNP	3/4"	5/8"	16
GT26/19KNP	3/4"	3/4"	19
GT26/25KNP	3/4"	1"	25
GT33/13KNP	1"	1/2"	13
GT33/19KNP	1"	3/4"	19
GT33/25KNP	1"	1"	25
GT33/38KNP	1"	1.1/2"	38
GT33/31KNP	1"	1.1/4"	31
GT42/25KNP	1.1/4"	1"	25
GT42/31KNP	1.1/4"	1.1/4"	31
GT48/38KNP	1.1/2"	1.1/2"	38
GT48/50KNP	1.1/2"	2"	50
GT52/38KNP	2"	1.1/2"	38
GT52/50KNP	2"	2"	50

Tech Sheet 20089

HOSE TAILS



Straight Hose Tails, Brass




Male Thread, BSPP

1010	Thread	To Suit Hose ID mm
GBP-34	3/4"	20
GBP-1	1"	25
GBP-114	1.1/4"	32
GBP-2	2"	50




Male Thread, Metric

1010	Thread	To Suit Hose ID mm
MHM5/03	M5 x 0.8	3
MHM5/04	M5 x 0.8	4
MHM6/04	M6 x 1.0	4
MHM8/04	M8 x 1.0	6
MHM10/04	M10 x 1.0	6
MHM10/05	M10 x 1.0	8
MHM10/06	M10 x 1.0	10
MHM12/04	M12 x 1.5	6
MHM12/05	M12 x 1.5	8
MHM12/06	M12 x 1.5	10
MHM14/06	M14 x 1.5	10
MHM16/06	M16 x 1.5	10
MHM16/08	M16 x 1.5	12
MHM18/06	M18 x 1.5	10
MHM18/08	M18 x 1.5	12
MHM22/08	M22 x 1.5	12
MHM22/12	M22 x 1.5	19

Male Thread,
60° Coned Seat, BSPP

1010	Thread	To Suit Hose ID
GT05/03	M5	3mm
GT05/04	M5	4mm
GT06/04	M6	4mm
GT10/04	1/8"	1/8"
GT10/05	1/8"	3/16"
GT10/06	1/8"	1/4"
GT10/08	1/8"	5/16"
GT10/09	1/8"	3/8"
GT13/05	1/4"	3/16"
GT13/04	1/4"	1/8"
GT13/06	1/4"	1/4"
GT13/08	1/4"	5/16"
GT13/09	1/4"	3/8"
GT13/13	1/4"	1/2"
GT17/06	3/8"	1/4"
GT17/08	3/8"	5/16"
GT17/09	3/8"	3/8"
GT17/13	3/8"	1/2"
GT17/16	3/8"	5/8"
GT17/19	3/8"	3/4"
GT21/06	1/2"	1/4"
GT21/08	1/2"	5/16"
GT21/09	1/2"	3/8"
GT21/13	1/2"	1/2"
GT21/16	1/2"	5/8"
GT21/19	1/2"	3/4"
GT21/25	1/2"	1"
GT26/06	3/4"	1/4"
GT26/08	3/4"	5/16"
GT26/10	3/4"	3/8"
GT26/13	3/4"	1/2"
GT26/16	3/4"	5/8"
GT26/19	3/4"	3/4"
GT26/25	3/4"	1"
GT33/13	1"	1/2"
GT33/19	1"	3/4"
GT33/25	1"	1"
GT33/32	1"	1.1/4"
GT42/25	1.1/4"	1"
GT42/32	1.1/4"	1.1/4"
GT42/38	1.1/4"	1.1/2"
GT48/38	1.1/2"	1.1/2"
GT52/50	2"	2"



Male Thread, NPT

1010	Thread	To Suit Hose ID mm
650-1003	1/8"	3
650-1004	1/8"	4
650-1005	1/8"	5
650-1006	1/8"	6
650-1008	1/8"	8
650-1010	1/8"	10
650-1305	1/4"	5
650-1306	1/4"	6
650-1308	1/4"	8
650-1310	1/4"	10
650-1312	1/4"	12
650-1706	3/8"	6
650-1708	3/8"	8
650-1710	3/8"	10
650-1713	3/8"	13
650-1716	3/8"	16
650-1719	3/8"	19
650-2106	1/2"	6
650-2108	1/2"	8
650-2110	1/2"	10
650-2113	1/2"	13
650-2116	1/2"	16
650-2119	1/2"	19
650-2125	1/2"	25
650-2612	3/4"	12
650-2616	3/4"	16
650-2625	3/4"	25
650-2632	3/4"	32
650-3312	1"	12
650-3316	1"	16
650-3319	1"	19
650-3325	1"	25
650-3332	1"	32
650-4219	1.1/4"	19
650-4225	1.1/4"	25
650-4232	1.1/4"	32
650-4238	1.1/4"	38
650-4838	1.1/2"	38

Straight Hose Tails, Brass



Male Thread, NPT, Ball Swivel Joints

1010	Thread	To Suit Hose ID
BSJ-IW13	1/4" x 1/4"	-
BSJ-TF06	1/4"	1/4"
BSJ-TF08	1/4"	5/16"
BSJ-TF10	1/4"	3/8"



Female Thread, BSPP

1010	Thread	To Suit Hose ID
FFH02/03	1/8"	3/16"
FFH02/04	1/8"	1/4"
FFH02/05	1/8"	5/16"
FFH02/06	1/8"	3/8"
FFH04/03	1/4"	3/16"
FFH04/04	1/4"	1/4"
FFH04/05	1/4"	5/16"
FFH04/06	1/4"	3/8"
FFH06/04	3/8"	1/4"
FFH06/05	3/8"	5/16"
FFH06/06	3/8"	3/8"
FFH06/08	3/8"	1/2"
FFH08/04	1/2"	1/4"
FFH08/05	1/2"	5/16"
FFH08/06	1/2"	3/8"
FFH08/08	1/2"	1/2"
FFH08/10	1/2"	5/8"
FFH08/12	1/2"	3/4"
FFH08/16	1/2"	1"

Straight Swivel Hose Tails, Brass




Swivel Female Thread, 60° Coned Seat, BSPP

1010	Thread	To Suit Hose ID
FH10/18	1/8"	1/8"
FH10/316	1/8"	3/16"
FH13/18	1/4"	1/8"
FH13/316	1/4"	3/16"
FH13/14	1/4"	1/4"
FH13/516	1/4"	5/16"
FH13/38	1/4"	3/8"
FH17/14	3/8"	1/4"
FH17/516	3/8"	5/16"
FH17/38	3/8"	3/8"
FH17/12	3/8"	1/2"
FH21/14	1/2"	1/4"
FH21/516	1/2"	5/16"
FH21/38	1/2"	3/8"
FH21/12	1/2"	1/2"
FH26/12	3/4"	1/2"
FH26/34	3/4"	3/4"
FH33/12	1"	1/2"
FH33/58	1"	5/8"
FH33/34	1"	3/4"
FH33/1	1"	1"
FH42/114	1.1/4"	1.1/4"
FH48/114	1.1/2"	1.1/4"
FH48/112	1.1/2"	1.1/2"
FH52/2	2"	2"



Swivel Female Thread, Flat Faced Seat with Washer, BSPP

1010	Thread	To Suit Hose ID
FH10/18FF	1/8"	1/8"
FH10/316FF	1/8"	3/16"
FH10/14FF	1/8"	1/4"
FH13/316FF	1/4"	3/16"
FH13/14FF	1/4"	1/4"
FH13/516FF	1/4"	5/16"
FH13/38FF	1/4"	3/8"
FH17/14FF	3/8"	1/4"
FH17/516FF	3/8"	5/16"
FH17/38FF	3/8"	3/8"
FH17/12FF	3/8"	1/2"
FH21/14FF	1/2"	1/4" (6)
FH21/516FF	1/2"	5/16"
FH21/38FF	1/2"	3/8"
FH21/12FF	1/2"	1/2"
FH21/58FF	1/2"	5/8"
FH26/12FF	3/4"	3/8" (10)
FH26/12FF	3/4"	1/2"
FH26/58FF	3/4"	5/8"
FH26/34FF	3/4"	3/4"
FH33/12FF	1"	1/2" (12)
FH33/34FF	1"	3/4" (19)
FH33/1FF	1"	1"
FH42/114FF	1.1/4"	1.1/4"
FH48/112FF	1.1/2"	1.1/2"
FH52/2FF	2"	2"



For Brass Adaptors
...see pages 1165-1176

HOSE TAILS



Elbow Hose Tails, Brass



Male Thread, BSPT

1010	Thread	To Suit Hose ID mm
600-1008	1/8"	8
600-1306	1/4"	6
600-1308	1/4"	8
600-1310	1/4"	10
600-1708	3/8"	8
600-1710	3/8"	10

Swivel Female Thread, Coned Seat, BSPP



1010	Thread	To Suit Hose ID mm
628-1006	1/8"	6
628-1305	1/4"	5
628-1306	1/4"	6
628-1308	1/4"	8
628-1310	1/4"	10
628-1706	3/8"	6
628-1708	3/8"	8
628-1710	3/8"	10
628-2110	1/2"	10
628-2112	1/2"	12



Female Thread, BSPP

1010	Thread	To Suit Hose ID	To Suit Hose ID mm
FET14-516	1/4"	5/16"	8
FET14-38	1/4"	3/8"	10
FET38-38	3/8"	3/8"	10
FET38-12	3/8"	1/2"	13

Tech Sheet 20182



Male Thread, BSPT

1010	Thread	To Suit Hose ID	To Suit Hose ID mm
EHT-18-6	1/8"	1/4"	6
EHT-18-8	1/8"	5/16"	8
EHT-18-10	1/8"	3/8"	10
EHT-14-6	1/4"	1/4"	6
EHT-14-8	1/4"	5/16"	8
EHT-14-10	1/4"	3/8"	10
EHT-14-13	1/4"	1/2"	13
EHT-38-6	3/8"	1/4"	6
EHT-38-8	3/8"	5/16"	8
EHT-38-10	3/8"	3/8"	10
EHT-38-13	3/8"	1/2"	13
EHT-12-8	1/2"	5/16"	8
EHT-12-10	1/2"	3/8"	10
EHT-12-13	1/2"	1/2"	13


Tech Sheet 20349

Y Hose Tails, Brass



1010	To Suit Hose ID	To Suit Hose ID mm
2020-1940	3/16"	5
2020-1943	1/4"	6
2020-1950	5/16"	8
2020-1968	3/8"	10
2020-1976	1/2"	12

Cross Hose Tails, Brass



1010	To Suit Hose ID	To Suit Hose ID mm
2020-1901	1/4"	6
2020-1919	5/16"	8
2020-1927	3/8"	10
2020-1935	1/2"	12

Tech Sheet 20349

Tee Hose Tails, Brass



Single Barbed

1010	To Suit Hose ID	To Suit Hose ID mm
620-2108	5/16"	8
620-2110	3/8"	10
620-2112	1/2"	12

Multi Barbed



1010	To Suit Hose ID	To Suit Hose ID mm
THT-5	3/16"	5
THT-6	1/4"	6
THT-8	5/16"	8
THT-10	3/8"	10
THT-13	1/2"	13
HRCT12	3/4"	19

Tech Sheet 20348

Hose Joiners, Brass



Equal

0422	To Suit Hose ID
DS04/04	1/8"
DS05/05	3/16"
DS06/06	1/4"
DS08/08	5/16"
DS09/09	3/8"
DS13/13	1/2"
DS16/16	5/8"
DS19/19	3/4"
DS25/25	1"
DS31/31	1.1/4"
DS38/38	1.1/2"
DS50/50	2"

Unequal

0422	To Suit Hose ID	To Suit Hose ID
DS09/06	3/8"	1/4"
DS13/06	1/2"	1/4"
DS13/08	1/2"	5/16"
DS13/09	1/2"	3/8"
DS16/09	5/8"	3/8"
DS16/13	5/8"	1/2"
DS19/09	3/4"	3/8"
DS19/13	3/4"	1/2"
DS19/16	3/4"	5/8"
DS25/19	1"	3/4"

Metric Stand Pipe



0422	Stand Pipe mm	To Suit Hose ID mm
CL15-10	15	10

Soldering Nut & Nipple



Female Thread, BSPP

0447	Thread	To Suit Hose ID
SN02/03	1/8"	3/16"
SN04/04	1/4"	1/4"
SN04/05	1/4"	5/16"
SN06/06	3/8"	3/8"
SN08/08	1/2"	1/2"
SN12/12	3/4"	3/4"


Straight Hose Tails, Nickel Plated Brass



Male Thread, BSPT

0422	Thread	To Suit Hose ID mm
3040-4-1/8	1/8"	4
3040-6-1/8	1/8"	6
3040-7-1/8	1/8"	7
3040-8-1/8	1/8"	8
3040-9-1/8	1/8"	9
3040-10-1/8	1/8"	10
3040-6-1/4	1/4"	6
3040-7-1/4	1/4"	7
3040-8-1/4	1/4"	8
3040-9-1/4	1/4"	9
3040-10-1/4	1/4"	10
3040-12-1/4	1/4"	12
3040-8-3/8	3/8"	8
3040-9-3/8	3/8"	9
3040-10-3/8	3/8"	10
3040-12-3/8	3/8"	12
3040-14-3/8	3/8"	14
3040-16-3/8	3/8"	16
3040-17-3/8	3/8"	17
3040-18-3/8	3/8"	18
3040-20-3/8	3/8"	20
3040-9-1/2	1/2"	9
3040-10-1/2	1/2"	10
3040-12-1/2	1/2"	12
3040-14-1/2	1/2"	14
3040-15-1/2	1/2"	15
3040-16-1/2	1/2"	16
3040-17-1/2	1/2"	17
3040-18-1/2	1/2"	18
3040-20-1/2	1/2"	20
3040-16-3/4	3/4"	16
3040-18-3/4	3/4"	18
3040-20-3/4	3/4"	20
3040-25-3/4	3/4"	25
3040-25-1	1"	25

Tech Sheet 10700



Male Thread, BSPP

0422	Thread	To Suit Hose ID mm
3045-4.5-M5	M5	4.5
3045-4-1/8	1/8"	4
3045-6-1/8	1/8"	6
3045-7-1/8	1/8"	7
3045-8-1/8	1/8"	8
3045-9-1/8	1/8"	9
3045-6-1/4	1/4"	6
3045-7-1/4	1/4"	7
3045-8-1/4	1/4"	8
3045-9-1/4	1/4"	9
3045-12-1/4	1/4"	12
3045-9-3/8	3/8"	9
3045-12-3/8	3/8"	12
3045-17-3/8	3/8"	17
3045-9-1/2	1/2"	9
3045-12-1/2	1/2"	12
3045-15-1/2	1/2"	15
3045-17-1/2	1/2"	17

Tech Sheet 10701



Male Thread, BSPT

5003	Thread	To Suit Hose ID mm
MC3/4-19	3/4"	19
MC1-25	1"	25



Female Thread, BSPP

0422	Thread	To Suit Hose ID mm
FHT6/10	1/8"	6
FHT6/13	1/4"	6
FHT7/10	1/8"	7
FHT7/13	1/4"	7
FHT8/13	1/4"	8
FHT9/13	1/4"	9
FHT9/17	3/8"	9
FHT10/13	1/4"	10
FHT10/17	3/8"	10
FHT12/17	3/8"	12
FHT12/21	1/2"	12

Tech Sheet 10702

Elbow Hose Tails, Nickel Plated Brass




Male Thread, BSPT

1020	Thread	To Suit Hose ID	To Suit Hose ID mm
3055-6-1/8	1/8"	1/4"	6
3055-6-1/4	1/4"	1/4"	6
3055-9-1/4	1/4"	3/8"	9

Tech Sheet 10702



For Hydraulic Hose Range
...see pages 6-14



HOSE TAILS




Straight Hose Tails, Steel Zinc Plated



Male Thread, BSPP

1011	Thread	To Suit Hose ID
2049-1460	3/8"	3/8"
2049-1478	1/2"	1/2"
2049-1502	3/4"	3/4"
2049-1528	1"	1"




Male Thread, BSPT, Safety Locking Collar

1011	Thread	To Suit Hose ID
SMH18-14	1/8"	1/4"
SMH14-38	1/4"	3/8"
SMH14-12	1/4"	1/2"
SMH38-14	3/8"	1/4"
SMH12-38	1/2"	3/8"
SMH12-12	1/2"	1/2"
SMH12-34	1/2"	3/4"
SMH34-12	3/4"	1/2"
SMH34-34	3/4"	3/4"
SMH01-01	1"	1"




Male Thread, BSPT

1011	Thread	To Suit Hose ID
2049-1536	1/4"	1/4"
2049-1537	1/4"	5/16"
2052-8998	1/4"	3/8"
2049-1538	1/4"	1/2"
2049-1539	3/8"	1/4"
2049-1540	3/8"	5/16"
2049-1544	3/8"	3/8"
2052-9020	3/8"	1/2"
2052-9038	1/2"	3/8"
2049-1551	1/2"	1/2"
2052-9046	3/4"	1/2"
2052-9053	3/4"	1"
2049-1577	1"	1"



Swivel Female Thread, Flat Faced Seat with Washer, BSPP

1011	Thread	To Suit Hose ID
2049-1585	1/2"	1/2"
2049-1593	3/4"	3/4"
2049-1601	1"	1"
2049-1619	1.1/4"	1.1/4"



Swivel Female Thread, Coned Seat, BSPP

1011	Thread	To Suit Hose ID
2049-1630	1/4"	1/4"
2049-1633	1/4"	5/16"
2049-1638	1/4"	3/8"
2049-1640	3/8"	3/8"
2049-1643	1/2"	1/2"
2049-1668	3/4"	3/4"
2049-1684	1"	1"

Straight Hose Tail, Steel Plated



Swivel Male Thread, BSPT


1011	Thread	To Suit Hose ID
MH04/04S	1/4"	1/4"

Hose Joiners, Steel



Equal

1011	To Suit Hose ID
SHRC04/04	1/4"
SHRC05/05	5/16"



For Combination Nipples
...see page 1497

HOSE TAILS

Straight Hose Tails, Aluminium



- These lightweight hose tails are manufactured to a high strength specification with a lower cost in comparison to its brass alternative.
- Tapered in conformity with ISO 7.1, BS 21, DIN 2999.
- Has the appearance of brass.
- Lightweight.
- General use for compressed air, pneumatics, oils and fluids.

Male Thread, BSPT

0383	Thread	To Suit Hose ID
AGT13/06K	1/4"	1/4"
AGT13/08K	1/4"	5/16"
AGT13/09K	1/4"	3/8"
AGT13/13K	1/4"	1/2"
AGT17/09K	3/8"	3/8"
AGT17/13K	3/8"	1/2"
AGT21/13K	1/2"	1/2"
AGT21/19K	1/2"	3/4"
AGT26/19K	3/4"	3/4"
AGT33/25K	1"	1"

N.B. Safe pressures and temperatures depend entirely on the hose being used, for this reason the values must be determined in accordance with the hose features.



Working Temperature:
0°C to +80°C



Maximum Working Pressure
10 bar

PUSH-ON HOSE ADAPTORS

Threads: Metric conforming to ISO R/262

Application: Flexible plastic tubes

Materials: Technopolymer body, Brass hose adaptor

Medium: Compressed air

Working Temperature:
-10°C to +80°C

Maximum Working Pressure:
10 bar

Vacuum: -0.99 bar

Elbow Hose Adaptor



Tube x Tube

1020	To Suit Hose ID mm
1513-2	2
1513-3	3
1513-4	4
1513-6	6
Tech Sheet 983	

Tee Hose Adaptor



Tube x Tube

1020	To Suit Hose ID mm
1523-2	2
1523-3	3
1523-4	4
1523-6	6
Tech Sheet 983	

Straight Hose Adaptor



Tube x Tube


1020	Hose ID mm A	To Suit Hose ID mm B:
1504-22	2	2
1504-32	3	2
1504-33	3	3
1504-43	4	3
1504-44	4	4
1504-64	6	4
1504-66	6	6
Tech Sheet 983		

Straight Male Hose Adaptor



Tube x Metric

1020	To Suit Hose ID mm	Thread
1500-2	2	M5
1500-3	3	M5
1500-4	4	M5
1500-6	6	M5
Tech Sheet 983		



POLYPROPYLENE HOSE TAILS ADAPTORS



° Maximum Working Temperature:
+80°C

Maximum Working Pressure:
8 bar

9.01 Hose Tails

Threaded Studs

Male BSPP x Barb OD



0679	OD mm	Thread
28PHA01	6	1/4"
28PHA04	10	3/8"
28PHA05	12	3/8"
28PHA06	16	3/8"
28PHA08	13	1/2"
28PHA09	16	1/2"
28PHA10	20	1/2"
28PHA11	10	3/4"
28PHA12	13	3/4"
28PHA13	16	3/4"
28PHA14	20	3/4"
28PHA15	25	3/4"
28PHA16	20	1"
28PHA17	25	1"
28PHA18	32	1"
28PHA18A	20	1.1/4"
28PHA19	25	1.1/4"
28PHA20	32	1.1/4"
28PHA21	40	1.1/4"
28PHA22	38	1.1/2"
28PHA22A	40	1.1/2"
28PHA23	50	1.1/2"
28PHA24	50	2"

Tech Sheet 68762

Fixed Female BSPP x Barb OD



0679	OD mm	Thread
28PHA50	16	3/4"
28PHA51	20	3/4"

Tech Sheet 68762

Female BSPP, Nut Liner & Seal x Barb OD



0679	OD mm	Thread
28PHA38	10	3/8"
28PHA39	13	1/2"
28PHA40	10	3/4"
28PHA40A	13	3/4"
28PHA40B	16	3/4"
28PHA40C	20	3/4"
28PHA41A	20	1"
28PHA41B	25	1"
28PHA42	20	1.1/4"
28PHA42A	25	1.1/4"
28PHA42B	32	1.1/4"
28PHA43	40	1.1/2"
28PHA43A	38	1.1/2"
28PHA44	50	2"

Tech Sheet 68762

Stepped Male BSPP x Barb OD



0679	OD mm	Thread
28PHA25B1	10/13/20	1/2"
28PHA25C	13/20/25	3/4"
28PHA25D	20/25/32	1"
28PHA25E	25/32/38	1.1/4"
28PHA25F	13/20/25/32/38	1.1/2"

Tech Sheet 68762

90° Male BSPP Elbow x Barb OD



0679	OD mm	Thread
29PHA27	13	1/2"
29PHA28	16	1/2"
29PHA29	20	1/2"
29PHA30	12	3/4"
29PHA31	20	3/4"
29PHA32A	25	3/4"
29PHA33	25	1"
29PHA34	32	1"
29PHA35	32	1.1/4"
29PHA36	40	1.1/2"
29PHA37	51	2"

Tech Sheet 68762

Male BSPP Y Piece, Twin Barb OD



0679	OD mm	Thread
28PHA52	10	3/4"
28PHA53	13	3/4"
28PHA53B	20	3/4"
28PHA53C	25	1"

Tech Sheet 68762

Male BSPP Y Piece, Triple Barb OD



0679	OD mm	Thread
28PHA54	10	3/4"
28PHA55	13	3/4"

Tech Sheet 68762

90° Female BSPP Elbow, Nut Liner & Seal x Barb OD



0679	OD mm	Thread
28PHA45A	12	1/2"
28PHA45B	12	3/4"
28PHA45C	16	3/4"
28PHA46	20	3/4"
28PHA47A	25	1"
28PHA47BC	25	1.1/4"
28PHA47B	32	1.1/4"
28PHA47C	40	1.1/2"
28PHA47D	50	2"

Tech Sheet 68762

OD Barb x OD Barb Adaptors

Equal Hose Menders



0679	OD mm
28PHM01A	6
28PHM03	13
28PHM04B	16
28PHM05	20
28PHM06	25
28PHM07	32
28PHM08	40
28PHM09A	50

Tech Sheet 68762

Unequal Hose Menders



0679	OD A mm	OD B mm
28PHMR04B	13	20
28PHMR04C	13	26
28PHMR05	20	25
28PHMR06	26	32
28PHMR09	25	38
28PHMR08	32	38
28PHMR10	38.5	50

Tech Sheet 68762

90° Equal Elbow Hose Menders



0679	OD mm
28PHLA01	6
28PHLA02	10
28PHLB03	13
28PHLB05	20
28PHLB06	25
28PHLB07	32
28PHLB08	40
28PHLB09A	50

Tech Sheet 68762

NYLON HOSE TAILS



Tefen hose fittings are the perfect choice to connect all types of flexible rubber and plastic tubes in domestic, industrial and all other general applications.

Nylon 6-6

Temperature:
-20 to 110°C

Working Pressure:
Up to 14 bar (200 psi) at 20°C

Fittings Dimensions: refer to tube ID or OD,
with respect to the common application

Main advantages:

- Strong and durable
- High impact resistant
- Food Certified

Female Swivel Nut x Hose Tail



BSPT

0497	To Suit Hose ID	To Suit Hose ID mm	Thread
PN14-4-18	1/8"	4	1/8"
PN14-5-18	3/16"	5	1/8"
PN14-4-14	1/8"	4	1/4"
PN14-5-14	3/16"	5	1/4"
PN14-6-14	1/4"	6	1/4"
PN14-8-14	5/16"	8	1/4"
PN14-5-38	3/16"	5	3/8"
PN14-6-38	1/4"	6	3/8"
PN14-8-38	5/16"	8	3/8"
PN14-10-38	3/8"	10	3/8"
PN14-6-12	1/4"	6	1/2"
PN14-8-12	5/16"	8	1/2"
PN14-10-12	3/8"	10	1/2"
PN14-12-12	1/2"	12	1/2"
PN14-14-12	-	14	1/2"
PN14-10-34	3/8"	10	3/4"
PN14-12-34	1/2"	12	3/4"
PN14-14-34	-	14	3/4"
PN14-16-34	5/8"	16	3/4"
PN14-19-34	3/4"	19	3/4"

Female x Hose Tail



BSPT

0497	To Suit Hose ID	To Suit Hose ID mm	Thread
PN25-5-18	3/16"	5	1/8"
PN25-6-18	1/4"	6	1/8"
PN25-8-12	5/16"	8	1/2"
PN25-10-12	3/8"	10	1/2"
PN25-12-12	1/2"	12	1/2"
PN25-14-12	-	14	1/2"
PN25-19-12	3/4"	19	1/2"

Male x Hose Tail



BSPT

0497	To Suit Hose ID	To Suit Hose ID mm	Thread
PN15-4-18	1/8"	4	1/8"
PN15-4-14	1/8"	4	1/4"
PN15-5-18	3/16"	5	1/8"
PN15-5-14	3/16"	5	1/4"
PN15-6-18	1/4"	6	1/8"
PN15-6-14	1/4"	6	1/4"
PN15-6-38	1/4"	6	3/8"
PN15-6-12	1/4"	6	1/2"
PN15-6-34	1/4"	6	3/4"
PN15-8-18	5/16"	8	1/8"
PN15-8-14	5/16"	8	1/4"
PN15-8-38	5/16"	8	3/8"
PN15-8-12	5/16"	8	1/2"
PN15-10-14	3/8"	10	1/4"
PN15-10-38	3/8"	10	3/8"
PN15-10-12	3/8"	10	1/2"
PN15-10-34	3/8"	10	3/4"
PN15-12-14	1/2"	12	1/4"
PN15-12-38	1/2"	12	3/8"
PN15-12-12	1/2"	12	1/2"
PN15-12-34	1/2"	12	3/4"
PN15-14-38	-	14	3/8"
PN15-14-12	-	14	1/2"
PN15-14-34	-	14	3/4"
PN15-16-12	5/8"	16	1/2"
PN15-16-34	5/8"	16	3/4"
PN15-19-12	3/4"	19	1/2"
PN15-19-34	3/4"	19	3/4"
PN15-19-1	3/4"	19	1"
PN15-25-34	1"	25	3/4"

Hose Repairer



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID mm
PN20-4	1/8"	4
PN20-5	3/16"	5
PN20-6	1/4"	6
PN20-8	5/16"	8
PN20-10	3/8"	10
PN20-12	1/2"	12
PN20-14	-	14
PN20-16	5/8"	16
PN20-19	3/4"	19

Reducing Hose Repairer



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID mm	To Suit Hose ID	To Suit Hose ID mm
PN19-5-4	3/16"	5	1/8"	4
PN19-6-4	1/4"	6	1/8"	4
PN19-6-5	1/4"	6	3/16"	5
PN19-8-5	5/16"	8	3/16"	5
PN19-8-6	5/16"	8	1/4"	6
PN19-10-6	3/8"	10	1/4"	6
PN19-10-8	3/8"	10	5/16"	8
PN19-12-8	1/2"	12	5/16"	8
PN19-12-10	1/2"	12	3/8"	10
PN19-14-10	3/8"	10	3/8"	10
PN19-14-12	-	14	1/2"	12
PN19-16-12	5/8"	16	1/2"	12
PN19-16-14	5/8"	16	-	14
PN19-19-14	3/4"	19	-	14
PN19-19-16	3/4"	19	5/8"	16

Blanking Plug



BSPT

0497	Thread
PN12-18	1/8"
PN12-14	1/4"
PN12-38	3/8"
PN12-12	1/2"
PN12-34	3/4"

Blanking Cap



BSPT

0497	Thread
PN13-18	1/8"
PN13-14	1/4"
PN13-38	3/8"
PN13-12	1/2"
PN13-34	3/4"

NYLON HOSE TAILS



Nylon 6-6

Temperature:
-20 to 110°C

Working Pressure:
Up to 14 bar (200 psi) at 20°C

Fittings Dimensions: refer to tube ID or OD,
with respect to the common application

Male Elbow Hose Connector



BSPT

0497	To Suit Hose ID	To Suit Hose ID mm	Thread
PN16-4-18	1/8"	4	1/8"
PN16-4-14	1/8"	4	1/4"
PN16-5-18	3/16"	5	1/8"
PN16-5-14	3/16"	5	1/4"
PN16-5-12	3/16"	5	1/2"
PN16-6-18	1/4"	6	1/8"
PN16-6-14	1/4"	6	1/4"
PN16-6-38	1/4"	6	3/8"
PN16-6-12	1/4"	6	1/2"
PN16-8-18	5/16"	8	1/8"
PN16-8-14	5/16"	8	1/4"
PN16-8-38	5/16"	8	3/8"
PN16-8-12	5/16"	8	1/2"
PN16-10-14	3/8"	10	1/4"
PN16-10-38	3/8"	10	3/8"
PN16-10-12	3/8"	10	1/2"
PN16-10-34	3/8"	10	3/4"
PN16-12-14	1/2"	12	1/4"
PN16-12-38	1/2"	12	3/8"
PN16-12-12	1/2"	12	1/2"
PN16-12-34	1/2"	12	3/4"
PN16-14-38	14mm	14	3/8"
PN16-14-12	14mm	14	1/2"
PN16-14-34	14mm	14	3/4"
PN16-16-12	5/8"	16	1/2"
PN16-16-34	5/8"	16	3/4"
PN16-19-12	3/4"	19	1/2"
PN16-19-34	3/4"	19	3/4"

Elbow Hose Connector



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID mm
PN18-4	1/8"	4
PN18-5	3/16"	5
PN18-6	1/4"	6
PN18-8	5/16"	8
PN18-10	3/8"	10
PN18-12	1/2"	12
PN18-14	14mm	14
PN18-16	5/8"	16
PN18-19	3/4"	19

Male Branch Tee Hose Connector



BSPT

0497	To Suit Hose ID	To Suit Hose ID mm	Thread
PN22-4-18	1/8"	4	1/8"
PN22-4-14	1/8"	4	1/4"
PN22-5-18	3/16"	5	1/8"
PN22-5-14	3/16"	5	1/4"
PN22-6-18	1/4"	6	1/8"
PN22-6-14	1/4"	6	1/4"
PN22-6-38	1/4"	6	3/8"
PN22-6-12	1/4"	6	1/2"
PN22-8-18	5/16"	8	1/8"
PN22-8-14	5/16"	8	1/4"
PN22-8-38	5/16"	8	3/8"
PN22-10-14	3/8"	10	1/4"
PN22-10-38	3/8"	10	3/8"
PN22-10-12	3/8"	10	1/2"
PN22-12-14	1/2"	12	1/4"
PN22-12-38	1/2"	12	3/8"
PN22-12-12	1/2"	12	1/2"
PN22-12-34	1/2"	12	3/4"
PN22-14-38	-	14	3/8"
PN22-16-12	5/8"	16	1/2"
PN22-16-34	5/8"	16	3/4"
PN22-19-12	3/4"	19	1/2"
PN22-19-34	3/4"	19	3/4"

Reducing Elbow Hose Connector



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID	To Suit Hose ID mm
PN17-5-4	3/16"	1/8"	4
PN17-6-5	1/4"	3/16"	5
PN17-8-6	5/16"	1/4"	6
PN17-10-6	3/8"	1/4"	6
PN17-10-8	3/8"	5/16"	8
PN17-12-10	1/2"	3/8"	10
PN17-16-14	5/8"	14mm	14
PN17-19-16	3/4"	5/8"	16

Tee Hose Connector



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID mm
PN23-4	1/8"	4
PN23-5	3/16"	5
PN23-6	1/4"	6
PN23-8	5/16"	8
PN23-10	3/8"	10
PN23-12	1/2"	12
PN23-14	14mm	14
PN23-16	5/8"	16
PN23-19	3/4"	19

Reducing Tee Hose Connector



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID	To Suit Hose ID mm
PN24-5-4	3/16"	1/8"	4
PN24-6-5	1/4"	3/16"	5
PN24-8-6	5/16"	1/4"	6
PN24-10-8	3/8"	5/16"	8
PN24-12-10	1/2"	3/8"	10
PN24-16-14	5/8"	14mm	14
PN24-19-16	3/4"	5/8"	16

Hose Connector



Tube x Tube

0497	To Suit Hose ID	To Suit Hose ID mm
PN21-4	1/8"	4
PN21-6	1/4"	6
PN21-8	5/16"	8
PN21-10	3/8"	10

PVDF HOSE TAILS

Fittings made of PVDF function better than nylon when exposed to a wide range of temperatures and high corrosive chemicals.

This enables them to be used in industries such as chemical processing due to their excellent chemical resistance properties.



Working Temperature:
-20°C to +120°C

Maximum Working Pressure:
14 bar at 20°C

Male x Hose Connector



BSPT

0472	To Suit Hose ID	Thread
PPV15-4-18	1/8"	1/8"
PPV15-5-14	3/16"	1/4"
PPV15-6-18	1/4"	1/8"
PPV15-6-14	1/4"	1/4"
PPV15-6-38	1/4"	3/8"
PPV15-6-12	1/4"	1/2"
PPV15-8-14	5/16"	1/4"
PPV15-8-38	5/16"	3/8"
PPV15-8-12	5/16"	1/2"
PPV15-10-14	3/8"	1/4"
PPV15-10-38	3/8"	3/8"
PPV15-10-12	3/8"	1/2"
PPV15-10-34	3/8"	3/4"
PPV15-12-38	1/2"	3/8"
PPV15-12-12	1/2"	1/2"
PPV15-12-34	1/2"	3/4"
PPV15-16-12	5/8"	1/2"
PPV15-19-12	3/4"	1/2"
PPV15-19-34	3/4"	3/4"

Tech Sheet 60237

Female x Hose Connector



BSPT

0472	To Suit Hose ID	Thread
PPV14-5-18	3/16"	1/8"
PPV14-5-14	3/16"	1/4"
PPV14-5-38	3/16"	3/8"
PPV14-6-14	1/4"	1/4"
PPV14-6-38	1/4"	3/8"
PPV14-6-12	1/4"	1/2"
PPV14-8-14	5/16"	1/4"
PPV14-8-38	5/16"	3/8"
PPV14-10-12	3/8"	1/2"
PPV14-12-12	1/2"	1/2"

Tech Sheet 60237

Straight Hose Connector



Tube x Tube

0472	To Suit Hose ID
PV20-5	3/16"
PV20-6	1/4"
PV20-10	3/8"
PV20-12	1/2"

Tech Sheet 60237

Male Elbow Hose Connector



BSPT

0472	To Suit Hose ID	Thread
PPV16-4-18	1/8"	1/8"
PPV16-4-14	1/8"	1/4"
PPV16-5-18	3/16"	1/8"
PPV16-5-14	3/16"	1/4"
PPV16-6-18	1/4"	1/8"
PPV16-6-14	1/4"	1/4"
PPV16-6-38	1/4"	3/8"
PPV16-6-12	1/4"	1/2"
PPV16-8-18	5/16"	1/8"
PPV16-8-14	5/16"	1/4"
PPV16-8-38	5/16"	3/8"
PPV16-8-12	5/16"	1/2"
PPV16-10-14	3/8"	1/4"
PPV16-10-38	3/8"	3/8"
PPV16-10-12	3/8"	1/2"
PPV16-10-34	3/8"	3/4"
PPV16-12-14	1/2"	1/4"
PPV16-12-38	1/2"	3/8"
PPV16-12-12	1/2"	1/2"
PPV16-12-34	1/2"	3/4"
PPV16-16-12	5/8"	1/2"
PPV16-16-34	5/8"	3/4"
PPV16-19-12	3/4"	1/2"
PPV16-19-34	3/4"	3/4"

Tech Sheet 60237

Elbow Hose Connector



Tube x Tube

0472	To Suit Hose ID
PV18-5	3/16"
PV18-8	5/16"
PV18-10	3/8"
PV18-12	1/2"

Tech Sheet 60237

Reducing Elbow Hose Connector



Tube x Tube

0472	To Suit Hose ID	To Suit Hose ID
PV17-6-5	1/4"	3/16"
PV17-8-6	5/16"	1/4"
PV17-10-8	3/8"	5/16"
PV17-12-10	1/2"	3/8"

Tech Sheet 60237

Tee Hose Connector



Tube x Tube

0472	To Suit Hose ID
PV23-5	3/16"
PV23-6	1/4"
PV23-8	5/16"
PV23-10	3/8"
PV23-12	1/2"

Tech Sheet 60237

Male Branch Tee Hose Connector



BSPT

0472	To Suit Hose ID	Thread
PPV22-6-18	1/4"	1/8"
PPV22-6-14	1/4"	1/4"
PPV22-8-14	5/16"	1/4"
PPV22-10-14	3/8"	1/4"
PPV22-12-14	1/2"	1/4"
PPV22-12-12	1/2"	1/2"
PPV22-12-38	1/2"	3/8"
PPV22-16-34	5/8"	3/4"
PPV22-19-34	3/4"	3/4"

Tech Sheet 60237

PLASTIC HOSE TAILS



OUR SUPERIOR DESIGN AND MANUFACTURING PROCESS ENSURES HIGHLY ACCURATE CONNECTOR DIMENSIONS FOR A PERFECT SEAL.

NORMA® Plastic Hose Connectors

- High performance products specified by the world's leading manufacturers for all their hose, tube and pipe applications
- Quality assured engineering and manufacture to ISO 9002, QS 9000 and ISO 14001
- Nylon polyamide 6 material



Reducing Straight

7777	To Suit Hose ID mm	To Suit Hose ID mm
NOR-GRS4-3	4	3
NOR-GRS5-4	5	4
NOR-GRS6-4	6	4
NOR-GRS8-4	8	4
NOR-GRS8-6	8	6
NOR-GRS10-6	10	6
NOR-GRS10-8	10	8
NOR-GRS12-8	12	8
NOR-GRS12-10	12	10

- Acetal POM material



Elbow

7777	To Suit Hose ID mm
NOR-WS3	3
NOR-WS4	4
NOR-WS5	5
NOR-WS6	6
NOR-WS8	8
NOR-WS10	10
NOR-WS12	12
NOR-WS13	13
NOR-WS16	16
NOR-WS19	19
NOR-WS25	25

- Acetal POM material



Equal Tee

7777	To Suit Hose ID mm
NOR-TS3	3
NOR-TS4	4
NOR-TS5	5
NOR-TS6	6
NOR-TS7	7
NOR-TS8	8
NOR-TS10	10
NOR-TS12	12
NOR-TS13	13
NOR-TS14	14
NOR-TS15	15
NOR-TS16	16
NOR-TS19	19
NOR-TS25	25

- Acetal POM material



Equal Y

7777	To Suit Hose ID mm
NOR-YS3	3
NOR-YS4	4
NOR-YS5	5
NOR-YS6	6
NOR-YS8	8
NOR-YS10	10
NOR-YS12	12
NOR-YS13	13
NOR-YS14	14
NOR-YS16	16
NOR-YS19	19

- Acetal POM material



Reducing Tee, on Branch

7777	To Suit Hose ID mm	To Suit Hose ID mm
NOR-TRS4-6-4	4	6
NOR-TRS6-4-6	4	6
NOR-TRS8-4-8	4	8
NOR-TRS8-6-8	6	8
NOR-TRS10-6-10	6	10
NOR-TRS10-8-10	8	10
NOR-TRS10-13-10	10	13
NOR-TRS12-6-12	6	12
NOR-TRS12-8-12	8	12
NOR-TRS12-10-12	10	12
NOR-TRS15-6-15	6	15
NOR-TRS15-8-15	8	15
NOR-TRS18-10-18	10	18

- Acetal POM material



Reducing Y, on Split

7777	To Suit Hose ID mm	To Suit Hose ID mm
NOR-YRS4-6-4	6	4
NOR-YRS6-8-6	8	6

- Acetal POM material



Cross

7777	To Suit Hose ID mm
NOR-KS4	4
NOR-KS5	5
NOR-KS6	6
NOR-KS12	12

- Nylon polyamide 6 material



Straight Taper Thread, BSPT Male

7777	To Suit Hose ID mm	Thread
NOR-GES4R18	4	1/8"
NOR-GES4R14	4	1/4"
NOR-GES5R14	5	1/4"
NOR-GES6R18	6	1/8"
NOR-GES6R14	6	1/4"
NOR-GES6R38	6	3/8"
NOR-GES8R14	8	1/4"
NOR-GES8R38	8	3/8"
NOR-GES8R12	8	1/2"
NOR-GES10R14	10	1/4"
NOR-GES10R38	10	3/8"
NOR-GES12R38	12	3/8"
NOR-GES12R12	12	1/2"
NOR-GES14R12	14	1/2"
NOR-GES16R12	16	1/2"
NOR-GES16R34	16	3/4"
NOR-GES19R34	19	3/4"
NOR-GES25R1	25	1"

- Nylon polyamide 6 material



Elbow Taper Thread, BSPT Male

7777	To Suit Hose ID mm	Thread
NOR-WES4R18	4	1/8"
NOR-WES4R14	4	1/4"
NOR-WES6R18	6	1/8"
NOR-WES6R14	6	1/4"
NOR-WES6R38	6	3/8"
NOR-WES8R14	8	1/4"
NOR-WES8R12	8	1/2"
NOR-WES10R14	10	1/4"
NOR-WES10R38	10	3/8"
NOR-WES12R38	12	3/8"
NOR-WES12R12	12	1/2"
NOR-WES19R34	19	3/4"
NOR-WES25R1	25	1"

- Nylon polyamide 6 material



T Taper Thread, BSPT Male

7777	To Suit Hose ID mm	Thread
NOR-TES6R18	6	1/8"
NOR-TES8R14	8	1/4"
NOR-TES10R38	10	3/8"

- Acetal POM material



Straight Push-on

7777	To Suit Hose ID mm
NOR-GS3	3
NOR-GS4	4
NOR-GS5	5
NOR-GS6	6
NOR-GS8	8
NOR-GS10	10
NOR-GS12	12
NOR-GS13	13
NOR-GS14	14
NOR-GS16	16
NOR-GS19	19
NOR-GS25	25

HOSE TAILS



Emergency Hose Connector Set

Ideal for service engineers, or for workshops in case of a hose failure, this handy kit includes genuine PCL Hose Tails, Union Nuts, Coned Tailpieces and Reducing Bushes - all stored in a solid compact pocket case.

Kit contents:

- 4 x HC5194
- 3 x HC5656, HC1206, HC1217
- 2 x HC2479, HC5276, HC5275, HC1226, HC6897, HC1225
- 1 x HC6560, HC6895, HC6896



7000
HCKIT01

OXY-ACETYLENE FITTINGS



9

Hose Tails

Acetylene Hose Tail LH Thread, BSPP

0121	Thread	Hosetail
GA04/04	1/4"	1/4"
GA06/04	3/8"	1/4"
GA06/05	3/8"	5/16"
GA06/06	3/8"	3/8"



Oxygen Hose Tail RH Thread, BSPP

0121	Thread	Hosetail
G004/04	1/4"	1/4"
G006/04	3/8"	1/4"
G006/05	3/8"	5/16"
G006/06	3/8"	3/8"



Customers who bought from this page
also purchased...

Stainless Steel Hose Clamps
...see page 1513

stainless
steel

